



70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML107

PEARL DELT / PEC FLY

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 2096x1250x2075 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 196 Kg. / 236 Kg.



ML108

VERTICAL PRESS

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1031x1450x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 206 Kg. / 246 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML109 ASSISTED DIP / CHIN

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1233x1943x2206 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 286 Kg. / 326 Kg.



ML136 LEG PRESS

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : No Cover
- Cable : No Cable
- Paint : Two Round Power Coating
- Size : 2220x1650x1350 mm
- Weight Stack : Plate Loaded
- N.W / G.W : 265 Kg. / 315 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML142 **SEATED LEG PRESS**

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1969x1125x1500 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 229 Kg. / 270 Kg.



ML147 **SEATED ROW**

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1385x1395x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 227 Kg. / 267 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML148 **TRICEPS EXTENSION**

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1802x1078x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 210 Kg. / 250 Kg.



ML154 **PRONE LEG CURL**

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1600x1423x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 248 Kg. / 288 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML 159

ADJUSTABLE CABLE CROSSOVER

- Frame Tube : High Tensile Steel
- Seat Cushion : No Seat
- Cover : No Cover
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 4262x712x2360 mm
- Weight Stack : 100x2 = 200 Kg.
- N.W / G.W : 425 Kg. / 485 Kg.



ML 164

GLUTE BUILDER

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1620x1640x1340 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 276 Kg. / 316 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML171

BICEPS CURL / TRICEPS EXTENSION

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1270x1200x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 190 Kg. / 230 Kg.



ML172

PULLDOWN / LOW ROW

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 2000x1280x2320 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 270 Kg. / 310 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML173 CHEST PRESS

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1980x1623x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 206 Kg. / 246 Kg.



ML174 LEG CURL / LEG EXTENSION

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1420x1350x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 290 Kg. / 330 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML175

LEG PRESS / HACK SQUAT

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : No Cover
- Cable : No Cable
- Paint : Two Round Power Coating
- Size : 2319x939x1466 mm
- Weight Stack : Plate Loaded
- N.W / G.W : 215 Kg. / 265 Kg.



ML176

ABDOMINAL ISOLATOR

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1315x1290x1620 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 248 Kg. / 288 Kg.





70+ Years Brand



Imported Range



Premium Quality



Quality Tested



Ergonomic Design



Aesthetic Appealing

ML177 **ABDUCTOR / ADDUCTOR**

- Frame Tube : High Tensile Steel
- Seat Cushion : PU Leatherized
- Cover : Thermoplastic Polymer (Impact Resistance)
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1100x1630x1600 mm
- Weight Stack : 100 Kg.
- N.W / G.W : 223 Kg. / 263 Kg.



ML250 **FUNCTIONAL TRAINER**

- Frame Tube : High Tensile Steel
- Seat Cushion : No Seat
- Cover : Sturdy Steel
- Cable : 6 mm Thickness
- Paint : Two Round Power Coating
- Size : 1520x1245x2300 mm
- Weight Stack : 100x2 = 200 Kg.
- N.W / G.W : 435 Kg. / 495 Kg.

